


Docket No.: 244508US23 CONT



COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313



RE: Application Serial No.: 10/720,517  
Applicants: Franklin D. LOMAX, JR.  
Filing Date: November 25, 2003  
For: HIGH RECOVERY PSA CYCLES AND  
APPARATUS WITH REDUCED  
COMPLEXITY  
Group Art Unit: 1724  
Examiner: SPITZER, R.

ATTORNEYS AT LAW

J. DEREK MASON  
(703) 413-3000  
DMASON@OBLON.COM

CHRISTOPHER D. WARD  
SENIOR ASSOCIATE  
(703) 413-3000  
CWARD@OBLON.COM

SIR:

Attached hereto for filing are the following papers:

**AMENDMENT**

Our check in the amount of **\$0.00** is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.

J. Derek Mason

Registration No. 35,270

Customer Number

**22850**

(703) 413-3000 (phone)  
(703) 413-2220 (fax)

Christopher D. Ward  
Registration No. 41,367

244508US323 CONT



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: :  
Franklin D. LOMAX, JR. : EXAMINER: SPITZER, R.  
SERIAL NO: 10/720,517 :  
FILED: November 25, 2003 : GROUP ART UNIT: 1724  
FOR: HIGH RECOVERY PSA :  
CYCLES AND APPARATUS  
WITH REDUCED  
COMPLEXITY

AMENDMENT

HONORABLE COMMISSIONER FOR PATENTS  
P.O. BOX 1450  
ALEXANDRIA, VA 22313-1450

SIR:

In response to the Official Action dated June 16, 2004, please amend the above-identified application as follows:

**Amendments to the Specification** begin on page 2 of this paper.

**Remarks/Arguments** begin on page 5 of this paper.